Depth 6	Contents 7	Reference to last Measurement 8
o grade bitumen		
at 2.5 kg/ 10 sq		
t (excluding		
ellaneous and		
	810.00	
	380.00	
	20.00	
	1190.00 sqm	
	27.07.16	

First and Final Bill SBRDO-117/16-17 Dt: 20-8-16

M. A. R. 57 (Rule 116)

Measurement Book

No. B

Serial No. 265241

Name of Work Improvements and Asphalting to Roads, drains and construction of culverts at Dethabandenagara, Puttanjinappa layout and Ishwara Temple area From ..... To ..... in WNO.09

Name of Contractor of nature of Agency Sri. Srinivas Murthy M. #17, Jyothi gas godown. 6th cross, Kuvempunagar, Banglore-88.

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
1)	Job code No: 009-16-000009						
2)	Work order No: BBMP/EE/BTP/WO/105/2016-17 Date: 18.08.2016.						
3)	Rs Estimated cost: 45.00 lakhs						
1)	Earth work excavation by manual means in ordinary soil involving an average horizontal throw upto 2m and an average lift upto 0.5m excavated surface leveled and sides neatly dressed the disposed earth to be leveled neatly after breaking of clods complete as per specification.						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Qty as per premeasurement Recorded vide page No: 265227 to 229 of this MB is					912.5 m³	
						@ Rs. 65-00/m³	59315.0
2)	Removing BS slab drain and stacking as complete						
	Qty as per premeasurement Recorded vide page no: 265229 of this MB is					1336.50 m²	
						@ Rs. 50-00/m²	66825=00

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	N
1	2	
3)	Refixing stone slabs of drain specification as complete	Qt
4)	providing and laying in po 1:4:8 with opc cement @ 180 kg granite metal, coarse aggregates machine mixed concrete laid in compacted in foundation and	

Contents	Reference to last Measurement
7.	8
corded this MB is 912.5 m³	
/m³	59315.0
cded 1336.50 m²	
/m²	66825=00

M. A. R. 57 (Rule 116)
Measurement Book

No. B

265242

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
3)	Refixing stone slabs of drains and pointing in CM (1:3) as per specification etc complete Qty vide item No. ②				1/5	1336.50 m² @ Rs. 65.60/m²	87676=00
4)	providing and laying in position plain cement concrete of mix 1:4:8 with opc cement @ 180 kg with coarse and coarse graded granite metal, coarse aggregates @ 0.85 cum and fine aggregates @ 0.57 cum machine mixed concrete laid in layer not exceeding 15 cms thick well compacted in foundation and plinth including cost of all materials						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Labour etc complete Qty as per Premeasurement Recorded vide page No: 265229/1 to 230 & this MB i/s 104.66 M3 @ Rs. 4500.00/M3						
5)	providing and laying cement concrete using 20mm and down size granite jelly & ready mixed concrete (RMC) for RCC works laid in 15cms thick layers and well compacted vibrating curing finishing with necessary cement mortar form works and scaffolding to withstand pumping & concrete with all lead and lift etc complete (exclusive of cost of steel and fabrication charges) Ready mixed cement concrete M-20 (1:1.5:3) for raft foundation column footing etc complete as per specification						

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Num
1	2	
	Renukamba Temple area 4th cross Interior Road 5th cross	

Assistant Executive Engineer
Vidyaranyapura Sub Division
BMP, Bangalore - 97

BOOK

s		Contents	Reference to last Measurement
dth	Depth 6	7	8
		ent Recorded	
		0 230 & this MB is	
		104.66 m3	470370
		@ Rs. 4500.00/m3	468183 = 00
		20mm cmt clean	
		RMC) for RCC works	
		al vibrating curing	
		works and scaffolding	
		quality etc complete	
		ges) Ready mixed	
		olation column footing	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

265243

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Renukamba Temple area	1	30.00	(4.1+4.0)/2	0.125	15.19	
	4th cross	1	30.00	4.00	0.125	15.00	
		1	22.70	(4.0+4.2)/2	0.125	11.63	
	Interior Road	1	26.50	(3.9+4.0)/2	0.125	13.08	
	5th cross	1	5.00	(4.1+4.0)/2	0.125	2.53	
		1	33.00	(3.2+3.3)/2	0.125	13.41	
						70.83 m3	389565
							389637 = 00

Assistant Executive Engineer
Vidyaranyapura Sub Division
BMP, Bangalore - 97

@ Rs 5500.00/m3

30.7.2016

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	b) Vacuum Dewatering with vacuum pump and suction mat and compaction with skim floater clubbed with floating dise including cost of generator Hire of machinery viz vibrating power floater trade and dise etc complete as per specification.						
	Ramakrishna Temple area 4th cross	1	30.00	(4.1+4.0)/2	-	121.50	
		1	30.00	4.00	-	120.00	
		1	22.70	(4.0+4.2)/2	-	93.07	
	Inter river Road	1	26.50	(3.9+4.0)/2	-	104.68	
	5th cross	1	5.00	(4.1+4.0)/2	-	20.28	
		1	33.00	(3.2+3.3)/2	-	107.25	
						561.40 m²	55088.00
						@ Rs. 97.20/m²	

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency ..
Date of commencement of work .....

Date	Full description, etc, of work
1	2
7)	Providing groove cutting 80mm - 100mm including HOM & machinery including cleaning & groove and p and filler metal etc inc labour lead and lift ch per drawing

Assistant Executive E
Vidyaranyapura Sub
BBMP, Bangalor

	Contents 7	Reference to last Measurement 8
	mat and line including over floater	
	121.50	
	120.00	
	93.07	
	104.68	
	20.25	
	107.25	5456.00
	561.40 m²	35088=40
	7.20/m²	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

265244

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
7)	providing groove cutting for width of 5 mm to 10mm and depth 80mm - 100mm including cost of cutting machine generator and HOM of machiney including cost of blade coolant etc including cleaning of groove and providing sand and hot bitumen fillers and filler metal etc including cost of conveyance of all materials labour lead and lift charges and all other incidental charges as per drawing						
		4	3.50	-	-	14.00	
			4.10	-	-	36.90	
			4.00	-	-	12.00	
						62.80 mt	7812=00

@ Rs 124.20/mt

Assistant Executive Engineer
Vidyaranyapura Sub Division
BBMP, Bangalore - 97

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	8) providing and constructing granite / trap / basalt size stone masonary in basement with cement mortar 1:6 edges of stones chisille dressed in course not less than 15cm high bond stones at 2m apart in each course including cost of materials labour etc complete						
	For culvert	2	6.20	0.60	0.90	6.70	
		2	4.00	0.60	0.90	4.32	
						11.02 m^3	
						@ Rs. 4542.48/ m^3	50040.00
						309.16	
	9) providing and removing centering shuttering struting propping etc and removal of form work for vertical surface such as wall at any thickness including						

Assistant Executive Engineer,
Vidyaranyapura Sub Division
BBMP, Bangalore-97

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work
1	2
	attached pilasters, buttre... all materials labours comp...
	@ 4 ...
	Page ...
10)	providing and laying in ... design mix M20 with OPC

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
15)	Providing and laying semi dense bituminous concrete using crushed aggregate of specified grading premixed with bituminous binder and filler transporting the hot mix to work spot laying with a hydrostatic paver finisher with sensor control to the required grade level and alignment rolling with smooth wheeled vibratory and tandem roller to achieve the desired compaction as per MORTH with 100 - 120 TPH capacity drum mix sensor paver Gr - II (25 mm to 30 mm) with 5% VG - 30 bitumen etc complete						
	5th main Deshabandhunagara	1	30.00	$\frac{(3.8+4.2)}{2}$	0.025	3.00	
		1	30.00	$\frac{(4.2+3.5)}{2}$	0.025	2.89	
		1	30.00	$\frac{(3.5+4.1)}{2}$	0.025	2.85	
		1	30.00	$\frac{(4.1+3.8)}{2}$	0.025	2.96	
		1	30.00	$\frac{(3.8+4.2)}{2}$	0.025	3.00	

22/8

Executive Engineer
Byatarayanapura Division
BBMP, Bangalore-92

Serial No. .....
Name of Work .....
Name of Contractor of nature of Age
Date of commencement of work .....

Date	Full description, etc, of wo
1	2

Checked.

22/8

Executive Engin
Byatarayanapura Div
BBMP, Bangalore-9
4th main Road

OK

Depth 6	Contents 7	Reference to last Measurement 8
) concrete		
reinforced with		
ot mix to come		
th sensor control		
with smooth		
e derived		
ity Hard with		
-30 bitumen @		
) 0.025	3.00	
) 0.025	2.89	
) 0.025	2.85	
) 0.025	2.96	
) 0.025	3.00	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 265249

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
		1	30.00	(4.2+4.5)/2	0.025	3.26	
		1	30.00	(4.5+4.4)/2	0.025	3.34	
		1	30.00	4.40	0.025	3.30	
		1	30.00	(4.4+4.7)/2	0.025	3.41	
		1	30.00	(4.7+5.1)/2	0.025	3.68	
		1	30.00	(5.1+5.6)/2	0.025	4.01	
		1	33.00	(5.6+9.6)/2	0.025	6.27	
		1	30.00	(3.9+4.5)/2	0.025	3.15	

Checked.

22/8

Executive Engineer
Byatarayanapura Division
BBMP, Bangalore-92
4th main Road

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	30.00	(4.5+4.0)	0.025	3.19	
		1	30.00	(4.0+4.2)	0.025	3.08	
		1	30.00	(4.2+4.4)	0.025	3.23	
		1	30.00	(4.4+3.7)	0.025	3.04	
		1	6.70	(3.7+4.3)	0.025	0.67	
	cross Road 2	1	30.00	(5.7+4.9)	0.025	3.48	
		1	15.00	(4.9+5.8)	0.025	1.97	
		1	29.60	(3.7+5.2)	0.025	3.29	
	Yerappa garden main Road	1	30.00	(4.9+3.9)	0.025	3.30	
		1	30.00	(3.9+3.8)	0.025	2.89	
		1	30.00	(3.8+4.5)	0.025	3.11	

Serial No. .....

Name of Work .....

Name of Contractor of nature of Agen

Date of commencement of work .....

Date	Full description, etc, of work
1	2
	1st cross LIS
	1st cross RIS
	2nd cross LIS

pth 6	Contents 7	Reference to last Measurement 8
025	3·19	
025	3·08	
025	3·23	
025	3·04	
25	0·67	
025	3·48	
025	1·97	
025	3·29	
025	3·30	
025	2·89	
025	3·11	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 265250

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	1st cross RLs	1	6·00	(4·5+4·2)/2	0·025	0·67	
		1	30·00	(4·2+3·9)/2	0·025	3·04	
		1	18·00	(3·9+4·7)/2	0·025	2·00	
	1st cross RLs	1	27·20	(4·0+4·2)/2	0·025	2·79	
		1	34·00	(4·3+3·9)/2	0·025	3·49	
		1	21·80	3·40	0·025	1·85	
	2nd cross LIS	1	30·00	(5·1+4·8)/2	0·025	3·71	
		1	18·40	(4·8+5·0)/2	0·025	2·25	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	pot hole Filling	1	5.80	3.20	0.025	0.46	
		1	8.40	3.00	0.025	0.24	
		1	11.90	3.00	0.025	0.89	
		1	10.50	3.50	0.025	0.91	
		1	4.80	2.50	0.025	0.30	
		1	22.40	4.00	0.025	2.24	
		1	16.80	3.80	0.025	1.59	
		1	25.40	2.50	0.025	1.58	
		1	18.80	4.00	0.025	1.89	
						106.06 m³	
						@ Rs. 8500=m/m³	903660=00
						30.7.16	901510

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	N
1	2	
16)	Lead for disposal of debris by mechanical means including complete	
	EIRL	
17)	Dismantling of cement concrete using pneumatic tools, break in volume and stack piling c 1000 m stacking serviceable ca complete as per specification	

OOK

	Depth 6	Contents 7	Reference to last Measurement 8
	0.025	0.46	
	0.025	0.24	
	0.025	0.89	
	0.025	0.91	
	0.025	0.30	
	0.025	2.24	
	0.025	1.59	
	0.025	1.58	
	0.025	1.89	
		106.06 m³	
8500=m	m²	903666=10	
		30.7.16	90510

M. A. R. 57 (Rule 116)
Measurement Book

No. B 265251

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
16)	lead for disposal of debris shall be payable at carriage rates by mechanical means including loading and unloading etc complete						
				Qty vide Item No. (1) is		912.54 m³	
				@ 73.38/m³			66962=10
	EIRL						
17)	Dismantling of cement concrete pavement by mechanical means using pneumatic tools, breaking to pieces not exceeding 0.02 cum in volume and stack piling at designed materials upto a lead of 1000 m stacking serviceable and unserviceable material seperately complete as per specification						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Qty as per Pre measurement Recorded vide page No: 2052 to 2 of this MB is					112.28 cum	
				@ Rs. 800.74/m³			90763.50 89907.00
18)	providing ruled pointing to course stone masonry with cement mortar 1:3 20 mm deep after raking joints to depth of 20 mm nicely lining including cost of material labour curing complete as per specification						
	Coping	2	6.20	-	0.90	11.16	
		2	4.00	-	0.90	7.20	
						18.36 m²	
				@ 96.68/m²			1775.00

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work
1	2
19)	providing and laying in 1:2:4 with cement @ 2 granite metal coarse aggr 0.459 cum machine mixed 15cms thick well compact including cost of materials complete as per specifi
	Coping
	Ramp

OK

Depth 6	Contents 7	Reference to last Measurement 8
ment Recorded in this MB is	112.28 cum	
800.74/m³		90763.00
		84907.00
honary with cement		
pth of 20mm nicely		
completion as per		
0.90	11.16	
0.90	7.20	
	18.36 m²	
.68/m²		1775.00

M. A. R. 57 (Rule 116)
Measurement Book

No. B

265252

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
19)	providing and laying in position plain cement concrete of mix 1:2:4 with cement @ 240 kgs with 20mm and down size graded granite metal coarse aggregates @ 0.878 cum and fine aggregates @ 0.459 cum machine mixed concrete laid in layers not exceeding 15cms thick well compacted in foundation plinth and cills including cost of materials labours tools & machinery curing etc complete as per specification.						
	Coping	1	6.20	1.50	0.10	0.93	
		1	4.00	1.50	0.10	0.60	
	Ramp	2	6.20	0.90	0.10	1.12	
		2	4.00	0.90	0.10	0.72	
						3.37 m³	17983.00

@ 5342.47/m³

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
20)	providing and applying tack coat using 80/100 Grade bitumen (VG 40) on the prepared black topped surface at 2.5 kg/10 sq.m heating bitumen in boiler fitted with spray set (excluding cleaning of road surface) including cost of all materials labours tools machinery complete as per specification Qty as per Premeasurement Recorded vide page No: 265240/1 of this MBS i/s 1190.00 sq.m @ Rs. 11.56/sq.m					13755=00	
21)	providing and laying bituminous macadam on prepared surface with crushed coarse aggregates as per design mix bowls for base / binding course including loading of aggregates with FE loader hot mixing of stone aggregates and bitumen in hot						

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency ..
Date of commencement of work .....

Date	Full description, etc, of work
1	2
	Plant hot tonne capaci tipper to paver and laying to the required level and g desired density 50/75 mm but excluding cost of prime cost of all materials labour tools with mechanical pav Bitumen etc complete 5th Main Dennabandumgra

19/8

Executive

OOK

Depth 6	Contents 7	Reference to last Measurement 8
0	Graded bitumen	
r	2 Stg/ Hand heating	
y	clearing of road	
	Hand machine	
r	Recorded	
	This MB 1/1	
	1190.00 Kml	
	11.56/ ML	13755=00
on	prepared	
with	mix bound	
	aggregate with	
	bitumen in hot	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

265253

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Plant no Tonne capacity transporting the mixed material in tipper to paver and laying mixed material with paver finisher to the required level and grade, rolling by power roller to achieve the desired density 50/75 mm compacted thickness with 3.3% bitumen but excluding cost of primer / tack coat with lead upto 1km including cost of all materials labour charges of machinery using no/60 TPH capacity HMP with mechanical paver ex-II (50 mm to +5 mm) with 3.3% VG-30 Bitumen as complete						
	5th Main Dehalandumpra	2	30.00	(1.3+1.2)	0.05	3.75	
		2	30.00	(1.5+1.4)	0.05	4.35	
		2	30.00	(1.4+1.3)	0.05	4.05	

19/8

Executive Engineer

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		2	30.00	(1.3+1.4)/2	0.05	4.05	
		2	30.00	1.40	0.05	4.20	
		2	30.00	(1.4+1.5)/2	0.05	4.35	
		2	30.00	1.50	0.05	4.50	
		2	30.00	1.50	0.05	4.50	
		2	28.00	(1.5+1.4)/2	0.05	4.20	
		1	10.50	2.30	0.05	1.21	
		1	9.50	3.00	0.05	1.43	
		1	8.20	2.50	0.05	1.03	
						59.50 m3	
				@ Rs. 4968.37/m3			295618.00

Checked.
19/8
Executive Engineer
Byatarayanapura Division
BBMP, Bangalore-92

Serial No. .....
Name of Work .....
Name of Contractor of nature of A
Date of commencement of work ..

Date	Full description, etc, of w
1	2
	Certificate:

BOOK

ions		Contents	Reference to last Measurement
Breadth 5	Depth 6	7	8
3 + 1.40	0.05	4.05	
1.40	0.05	4.20	
1.4 + 1.5	0.05	4.35	
1.50	0.05	4.50	
1.50	0.05	4.50	
1.5 + 1.4	0.05	4.20	
2.30	0.05	1.21	
3.00	0.05	1.43	
2.50	0.05	1.03	
		59.50 m³	
@ Rs. 4968.37/m³			295618.00

M. A. R. 57 (Rule 116)
Measurement Book

No. B

265254

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
				Total			43,29,800.00
							432922/-00

Certificate:

Certified that the work done above is satisfactorily.

19/2/14

Assistant Executive Engineer
Vidyaranyapura Sub Division
BBMP, Bangalore - 97

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8

Sketch Showing the work done spot:



Assistant Engineer
Vidyaranyapura Sub Division
BBMP, Bangalore-97

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work
1	2

Audited & Admitted
Rs 40,01,
and Rs
ACCTS SUPDT

Contents	Reference to last Measurement
7	8



M. A. R. 57 (Rule 116)
Measurement Book

No. B

265255

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Audited & Admitted for Rs 4,32,526-00 40,01,394/- and Rs 324526/- Krishnendu Sen Accts Supdt Brahmananda Dn Bihar					IT — 43300-00 VAT — 173100-00 SDF — 43300-00 CBF — 4326-00 LR — 60500-00 Total — 324526	